Form 3160-3 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

A DDI I	CATION	EOD	DEDMIT T	ODDILL	OR REEN	TED
APPLI	CATION	FUR	PERMIT	U DRILL	. UK KEEN	ΙEΚ

6.	UTE TRIBAL
7	If Unit or CA Agreement, Name and No.

Lease Serial No. UTU-025962

		1	
la. Type of Work: ☑ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit of CA Agreement, Name	and No. ngm
lb. Type of Well: ☐ Oil Well	ner Single Zone Multiple Zone	8. Lease Name and Well No. GYPSUM HILLS 16W-17-8-2	1
SHENANDOAH ENERGY INC.	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	9. API Well No. 43-047-3415	L.
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory WONSITS VALLEY GYPSum Hills	
4. Location of Well (Report location clearly and in accorda	nce with any State requirements.*)	11. Sec., T., R., M., or Blk. and Sur	rvey or Area
At surface SESE 680FSL 919FEL	4441591 H 621703 E	Sec 17 T8S R21E Mer SLI	В
At proposed prod. zone SESE 680FSL 919FEL	621703 E		
14. Distance in miles and direction from nearest town or post 14 MILES SOUTHWEST OF REDWASH, UTAH	office*	12. County or Parish UINTAH	13. State UT
15. Distance from proposed location to nearest property or	16. No. of Acres in Lease	17. Spacing Unit dedicated to this v	vell
lease line, ft. (Also to nearest drig. unit line, if any) 680	40.00	40.00	
18. Distance from proposed location to nearest well, drilling,	19. Proposed Depth	20. BLM/BIA Bond No. on file	
completed, applied for, on this lease, ft. 750	7725 MD 7725 TVD	U-0969	
21. Elevations (Show whether DF, KB, RT, GL, etc. 4700 KB	22. Approximate date work will start	23. Estimated duration	
	24. Attachments		

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- Well plat certified by a registered surveyor.
 A Drilling Plan.
 A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the

25. Signature John Rusch	Name (Printed/Typed) JOHN BUSCH	Date 06/15/2001
OPERATIONS	Name (Printed/Typed) Federal Approval of this Federal Approval of this Name (Printed/Typed)	
pproved by (Signature)	BRADIEVO	Date 0 - 12-0 /
Tille .	RECLAMATION SPECIALIST III	


Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #5021 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal

T8S, R21E, S.L.B.&M.



LEGEND:

__ = 90° SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.


LATITUDE = 40°07'04" LONGITUDE = 109°34'18"

SHENANDOAH ENERGY, INC.

Well location, GH #16W-17-8-21, located as shown in the SE 1/4 SE 1/4 of Section 17, T8S, R21E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK (45 EAM) LOCATED IN THE N 1/2 OF SECTION 5, T8S, R21E, S.L.B.&M. TAKEN FROM THE RED WASH SW QUADRANGLE, UTAH, UINTAH COUNTY 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4689 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 4-16-01	DATE DRAWN: 4-20-01	
PARTY D.COX	REFERENCES G.L.O. PLAT		
WEATHER WARM	FILE SHENANDOAH ENERGY, INC.		

Additional Operator Remarks:

Shenandoah Energy Inc. proposes to drill a well to 7725 to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well well be plugged and abandoned as per BLM and State of Utah requirements.

Operation will be according to the Standard Operating Procedures for the Wonsits Valley Unit, Gypsum Hills Unit, and area leases for Wasatch Wells.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. U-0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

SHENANDOAH ENERGY INC. WELL # GH 16W-17-8-21

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth	Prod. Phase Anticipated
Uinta	Surface	
Green River	2175'	
Mahogany Ledge	3390'	
Wasatch	6039'	
TD (Wasatch)	7725	Gas

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Wasatch	7725

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3090.0 psi.

SHENANDOAH ENERGY INC. GYPSUM HILLS #16W-17-8-21 680' FSL 919' FEL SESE SECTION 17, T8S, R21E, SLB&M UINTAH COUNTY, UTAH LEASE # UTU-025962

ONSHORE ORDER NO. 1

MULTI - POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

The proposed well site is approximately 14 miles southwest of Red Wash, Utah.

Proceed from Wonsits Valley Main Office, located in the NW 1/4 of the Nw 1/4 of Sec. 7-8-22. Travel west down the Wonsits Valley road +/- 4.5 miles.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

There will be no improvements made to existing access roads.

2. Planned Access Roads:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedures (SOP).

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedures (SOP).

6. Source of Construction Materials:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedures (SOP).

7. Methods of Handling Waste Materials:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedures (SOP).

8. Ancillary Facilities:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and surrounding areas Wasatch Wells Standard Operating Procedures (SOP).

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

As per the onsite discussions, a reserve pit liner will be required.

10. Plans for Reclamation of the Surface:

Please see the Wonsits Valley Unit, Gypsum Hills Unit and area leases for Wasatch Wells Standard Operating Procedures (SOP).

Seed Mix

11. Surface Ownership:

The well pad and access road are located on lands owned by:

Ute Indian Tribe PO Box 143 Ft. Duchesne, Utah 84026

12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

Lessee's or Operator's Representative:

John Busch Red Wash Operations Rep. Shenandoah Energy Inc. 11002 East 17500 South Vernal, Utah 84078 (435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.


Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.


A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

John Burd June 19-01

John Busch Red Wash Operations Representative Date







SHENANDOAH ENERGY, INC.

GH #16W-17-8-21

LOCATED IN UINTAH COUNTY, UTAH SECTION 17, T8S, R21E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #1 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHWESTERLY




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


5 3 01

РНОТО

TAKEN BY: D.K. | DRAWN BY: K.G. | R







WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/21/2001	API NO. ASSIGNE	D: 43-047-3415	56
WELL NAME: GH 16W-17-8-21			
OPERATOR: SHENANDOAH ENERGY INC (N4235)			
CONTACT: JOHN BUSCH	PHONE NUMBER: 43.	5-781-4341	
PROPOSED LOCATION:			
SESE 17 080S 210E	INSPECT LOCATN	BY: / /	
SURFACE: 0680 FSL 0919 FEL	Tech Review	Initials	Date
BOTTOM: 0680 FSL 0919 FEL	Engineering		
UINTAH GYPSUM HILLS (610)	Geology		
LEASE TYPE: 1 - Federal	Surface		
LEASE NUMBER: UTU-025962 SURFACE OWNER: 2 - Indian			
SURFACE OWNER: 2 - Indian			
PROPOSED FORMATION: WSTC			
Plat Plat	R649-3-2. Ge Siting: 460 From R649-3-3. Ex Drilling Unit Board Cause Eff Date: Siting:	# P'on P.A. nit GYPSUM HILI eneral om Qtr/Qtr & 920' I sception	Between Wells
STIPULATIONS: L-Spacing Stip. STIPULATIONS: L-Spacing Stip. DERAL APPROVE			




OPERATOR: SHENANDOAH ENERGY (N4235)

SEC. 17, T8S, R21E

FIELD: GYPSUM HILLS (610)

COUNTY: UINTAH UNIT: GYPSUM HILLS (GR)

SPACING: R649-3-3/EX LOC



SHENANDOAH ENERGY INC.

11002 East 17500 South

Vernal, UT 84078

Phone: (435) 781-4300

Fax (435) 781-4329

July 10, 2001

Division of Oil, Gas & Mining 1594 W. N. Temple STE 1210 Salt Lake City, UT 84114-5801

To Whom It May Concern:

Shenandoah Energy Inc. Gypsum Hills #16W-17-8-21 lease #(UTU-025960) is an exception location due to existing Chevron pipeline right-of-way .

There are no additional lease owners within 460' of this proposed well. If you have any question please contact Raleen Searle @ (435) 781-4309.

Thank you,

Raleen Searle

Administrative Assistant

RalunSeale

RECEIVED

DIVISION OF THE GAS AND MINING



Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

July 12, 2001

Shenandoah Energy, Inc. 11002 E 17500 S Vernal, UT 84078

Re:

Gypsum Hills 16W-17-8-21 Well, 680' FSL, 919' FEL, SE SE, Sec. 17, T. 8 South,

R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34156.

Sincerely,

John R. Baza

Associate Director

er

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:		Shenandoah Energy, Inc.			
Well Name & Number_		Gypsum Hills 16W-17-8-21			
API Number:		43-047-34156			
Lease:		UTU 025962			
Location: SE SE	Sec. 17	T. 8 South	R. 21 East		

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining. In order to avoid the possibility of waste or injury to correlative rights, the operator is required to analyze available geological and engineering data from nearby wells and to seek appropriate drilling unit establishment by submitting a Request for Agency Action for a hearing and order by the Board.

Porm 3160-3 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

5. Lease Serial No.

	UTU-025962
6	If Indian Allottee or Tribe Name

APPLICATION FOR PERMIT T	UTE TRIBAL	
la. Type of Work: 🗖 DRILL 🔲 REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name and No.
To Will Took	er Single Zone Multiple Zone	Lease Name and Well No. GYPSUM HILLS 16W-17-8-21
1b. Type of Well: ☐ Oil Well ☐ Gas Well ☐ Oth 2. Name of Operator SHENANDOAH ENERGY INC.	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	9. API Well No.
3a. Address 11002 F. 17500 S.	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory WONSITS VALLEY
VERNAL, UT 84078 4. Location of Well (Report location clearly and in accorded	ince with any State regultrements.	11. Sec., T., R., M., or Blk. and Survey or Area
At surface SESE 680FSL 919FEL At proposed prod. zone SESE 680FSL 919FEL	JUN 1 8 2001	Sec 17 T8S R21E Mer SLB
14. Distance in miles and direction from nearest town or post 14 MILES SOUTHWEST OF REDWASH, UTAH	office*	12. County or Parish UINTAH 13. State
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 680	16. No. of Acres in Lease 40.00	17. Spacing Unit dedicated to this well 40.00
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 750 	19. Proposed Depth 7725 MD 7725 TVD	20. BLM/BIA Bond No. on file U-0969
21. Elevations (Show whether DF, KB, RT, GL, etc. 4700 KB	22. Approximate date work will start	23. Estimated duration
	24. Attachments	
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest Sys SUPO shall be filed with the appropriate Forest Service On Surveyor). 	4. Bond to cover the operation ltem 20 above). 5. Operator certification	ons unless covered by an existing bond on the (see
25. Signature	Name (Printed/Typed) · JOHN BUSCH	Date 06/15/2001
Title OPERATIONS		Dota
Approved by (Signature)	Name (Printed/Typed)	Date / 09/(2/200
Title Assistant Field Manager Mineral Resources		ECENED
Application approval does not warrant or certify the applicant hoperations thereon.	olds legal or equitable title to those rights in the subject	lease which would entitle the applicant to conduct

Additional Operator Remarks (see next page)

Conditions of approval, if any, are attached.

Electronic Submission #5021 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal Committed to AFMSS for processing by LESLIE CRINKLAW on 06/18/2001 ()

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any interest of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL ATTACH

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **

COAs Page 1 of 4 Well No.: GH #16W-17-8-21

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator:	Shenande	oah Energy, Inc.
Well Name & Number:	GH #16\	N-17-8-21
API Number:	43-047-3	4156
Lease Number:	U - 02596	62
Location: SESE S	Sec. <u>17</u>	T. <u>8S</u> R. <u>21E</u>
Agreement:	N/A	

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

Well No.: GH #16W-17-8-21

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above base of the usable water zone, identified at \pm 1,158 ft.

COAs Page 3 of 4 Well No.: GH #16W-17-8-21

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

Shenandoah Energy, Inc. (Shenandoah) will assure the Ute Tribe that any/all contractors and subcontractors have acquired a current Tribal Business License and have updated "Access Permits" prior to construction. All Shenandoah personnel, contractors and subcontractors will have these permits in their vehicles at all times. Companies that have not complied with this COA will be in violation of the Ute Tribal Business License Ordinance, and will be subject to fines and penalties.

Shenandoah employees, representatives, and/or authorized personnel (subcontractors) shall not carry firearms on their person or in their vehicles while working on the Uintah & Ouray Indian Reservation.

Shenandoah employees and/or authorized personnel (subcontractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

Shenandoah will notify the Ute Tribe and Bureau of Indian Affairs (BIA) in writing of any requested modification of APDs or Rights-Of-Way (ROW). Shenandoah shall receive written notification of authorization or denial of the requested modification. Without authorization, Shenandoah will be subject to fines and penalties.

The Ute Tribe Energy & Minerals Department shall be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday. A Tribal Technician is to routinely monitor construction. Shenandoah shall make arrangements with the Ute Energy & Minerals Department for all monitoring that will exceed regular working hours for Tribal Technicians. A qualified Archaeologist accompanied by a Tribal Technician will monitor any trenching required for the construction of the pipeline and monitor construction of the location and new access road. Shenandoah is to inform contractors to maintain construction of the pipelines within approved 30 foot ROW.

Shenandoah shall maintain cattleguards and fence integrity as originally constructed for any access roads or pipeline routes which cross the Ute Indian Reservation Boundary Fence.

A corridor ROW, 30 feet wide, shall be granted for the pipeline and a ROW, 30 feet wide, shall be granted for the access road. The constructed travel width of the access road will be limited to 18 feet. Upon authorization by the Ute Tribe Energy & Minerals Department, the ROW may be wider where sharp curves, deep cuts and fills occur; or, where intersections with other roads are required.

Upon completion of the pertinent APD and ROWs, Shenandoah will notify the Ute Tribe Energy & Minerals Department for a Tribal Technician to verify the Affidavit of Completion. When each pipeline has been constructed and completed as built descriptions will be filed with the Ute Tribal Energy and Minerals Department.

Well No.: GH #16W-17-8-21

Production waters, oil, and other byproducts shall not be placed on access roads or the well pad.

All vehicular traffic, personnel movement, construction and restoration operations will be confined to the areas examined and approved and to the existing roadways and/or evaluated access routes.

Shenandoah will implement "Safety and Emergency Plan" and ensure plan compliance.

Shenandoah shall stop construction activities and notify personnel from the Ute Tribe Energy & Minerals Department and BIA if cultural remains including paleontologic resources (vertebrate fossils) are exposed or identified during construction. The Ute Tribe Department of Cultural Rights and Protection and the BIA will provide mitigation measures prior to allowing construction.

Shenandoah employees and/or authorized personnel (subcontractors) will not be allowed to collect artifacts and paleontologic fossils. No significant cultural resources shall be disturbed.

Shenandoah will control noxious weeds on the well site and ROWs. Shenandoah will be responsible for noxious weed control if weeds spread from the project area onto adjoining land.

Reserve pits will be lined with an impervious synthetic liner. A fence will be constructed around the reserve pit until it is backfilled. Prior to backfilling the reserve pit, all fluids will be pumped from the pit into trucks and hauled to approved disposal sites. When the reserve pits are backfilled, the surplus oil and mud, etc., will be buried a minimum of 3 feet below the surface of the soil.

A closed system will be used during production. This means that production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites.

Surface pipelines will be constructed to lay on the soil surface. The ROW will not be bladed or cleared of vegetation without authorization of the BIA. Where surface pipelines do not parallel roads but cross country between stations, they shall be welded in place at well sites or on access roads. They shall be pulled between stations with suitable equipment. Vehicles shall not use pipeline ROWs as access roads unless specifically authorized. Where surface pipelines are adjacent to existing or proposed roads they shall be welded in place at well sites or on access roads then pulled into place with suitable equipment.

Before the site is abandoned, Shenandoah will be required to restore the well site and ROWs to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Soil erosion will be mitigated by reseeding all disturbed areas.

Form 3160-5 (August 1990)

Approved By

JAITED STATES

FORM APPROVED OMB NO. 1004-0135

August 1999)	DEF	PARTMENT OF THE I	NTERIOR	1	Expires: Nove	mber 30, 2000
	BU	REAU OF LAND MANA	GEMENT	F	5. Lease Serial No.	
	SHNDRYN	IOTICES AND REPO	RTS ON WELLS		UTU-025962	
	Da mad upa thic	form for proposals to	drill or to re-enter an D) for such proposals.		6. If Indian, Allottee or UTE TRIBAL	Tribe Name
	SUBMIT IN TRIP	PLICATE - Other instru	ctions on reverse side.		7. If Unit or CA/Agreen UNDESIGNATED	nent, Name and/or No.
1. Type of Well					8. Well Name and No. GYPSUM HILLS 16	6W 17 8 21
	☑ Gas Well ☐ Othe		ANNIBETRIK		9. API Well No.	
2. Name of Ope SHENAND	rator OAH ENERGY INC	Contact:	ANN PETRIK E-Mail: apetrik@shenandoahene	ergy.com	43-047-34156	
3a. Address 11002 EAS VERNAL,	ST 17500 SOUTH UT 84078		3b. Phone No. (include area code) Ph: 435.781.4306 Fx: 435.781.4329)	10. Field and Pool, or E WONSITS VALL	EY
		, R., M., or Survey Description	n)		11. County or Parish, an	
Sec 17 T8	S R21E SESE 680F	SL 919FEL			UINTAH COUNT	Y, UT
000 11 10	5 ,			,		
	12 CHECK APPR	OPRIATE BOX(ES) T	O INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHER	DATA
TVDE OF	SUBMISSION			F ACTION		
TIFEOR	SOBIMISSION		- D	D Product	tion (Start/Resume)	☐ Water Shut-Off
☐ Notice o	f Intent	☐ Acidize	Deepen Treet	☐ Reclam		☐ Well Integrity
Subsequ		☐ Alter Casing	Fracture Treat	Recom		Other
	•	☐ Casing Repair	□ New Construction□ Plug and Abandon		rarily Abandon	Well Spud
☐ Final Ab	andonment Notice	Change Plans		☐ Water]		
		Convert to Injection		1 /		imate duration thereof.
Attach the B following co testing has b determined	ond under which the wo impletion of the involved een completed. Final Alhat the site is ready for f	rk will be performed or provided to the performed or provided operations. If the operation bandonment Notices shall be final inspection.)	nent details, including estimated starting, give subsurface locations and meas de the Bond No. on file with BLM/Bl results in a multiple completion or recalled only after all requirements, including	A. Required su completion in a ading reclamation	on, have been completed, a	filed within 30 days
THIS WE	L WAS SPUD ON	10/18/01. DILL 12 1/4"	HOLE TO 458'. RUN 10 JNTS	S 9 5/8" #36	CASING TO 449'.	
						4EQ
					OMISION ONL GAS AND	
14. I hereby c	ertify that the foregoing	is true and correct.	on #8107 verified by the BLM We	all Information	System	
/ 1	\.	For SHEN	ANDOAH ENERGY INC., sent to	the Vernal		
Name (Prin	ted/Typed) ANN PE	TRIK	Title ADMI	NISTRATIVE	CONTACT	
		Submission)	Date 10/19	/2001		
Signature	(Electionic		FOR FEDERAL OR STATI		JSE	
	*	1 113 3746	LOIV LEDEIXVE OIL GIVII			

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office



Date

OPERATOR ACCT. No. 4235

OPERATOR: ADDRESS:

Shenandoah Energy, Inc.

11002 East 17500 South Vernal, Utah 84078-8526

(801)781-4300

ENTITY ACTION FORM - FORM 6

Action	Current	New Entity	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
Code	Entity No.	No.	10.045.04450	CU 4C)N 47 9 24	SESE	17	88	21E	Uintah	10/18/01	
Α	99999	13354	43-047-34156	GH 16W 17 8 21	SLOL						10-24-01
WELL 1	COMMENT	S:									
Now w	امر) drilled i	n the Gypsum	Hills Wasatch								
INCW V	Ten dimed i	Тепо одражи					İ		٠		
WELL	COMMENT] - Q ·					<u>. </u>	<u> </u>			
VVELL 2	COMMENT	О.									
	Т	T	1	1	<u> </u>	Τ	T				
			St. Company			<u></u>					
WELL:	3 COMMEN	TS:									
							T	1 1			
WELL	1 4 COMMEN	TS:									
									<u> </u>		
	T										
								11		<u> </u>	
WELL	5 COMMEN	18:									•

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

CONFIDENTIAL

Signature

Administrative Assistant 10/19/01 Date

Title

Phone No. (801) 781-4306

(3/89)



Form 3160-5 (August 1999)

ITED STATES DEPART.VLENT OF THE INTERIOR RUBEALLOF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

	REAU OF LAND MANA			5. Lease Serial No. UTU-025962			
Do not use this	NOTICES AND REPO Form for proposals to	drill or to re-enter an		6. If Indian, Allottee or	Tribe Name		
abandoned well	. Use form 3160-3 (AP	D) for such proposals.		UTE TRIBAL			
SUBMIT IN TRIF	PLICATE - Other instruc	ctions on reverse side.		7. If Unit or CA/Agree UNDESIGNATE	ment, Name and/or No. D		
1. Type of Well				8. Well Name and No. GYPSUM HILLS 1	6W 17 8 21		
Oil Well Gas Well Other	er Contact:	ANN PETRIK		9. API Well No.			
2. Name of Operator SHENANDOAH ENERGY INC		E-Mail: apetrik@shenando		43-047-34156	Evploratory		
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078	11002 EAST 17500 SOUTH Ph: 435.781.4306 Fx: 435.781.4329						
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	n)		11. County or Parish,	and State		
Sec 17 T8S R21E SESE 680F				UINTAH COUN			
12. CHECK APPE	ROPRIATE BOX(ES) T	O INDICATE NATURE	OF NOTICE, I	REPORT, OR OTHE	R DATA		
TYPE OF SUBMISSION		TY	PE OF ACTION				
	☐ Acidize	☐ Deepen	Produ	ction (Start/Resume)	■ Water Shut-Off		
☐ Notice of Intent	☐ Alter Casing	☐ Fracture Treat	□ Recla	mation	■ Well Integrity		
Subsequent Report ■	☐ Casing Repair	■ New Constructi	ion 🔲 Recor	mplete			
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abanc	ion 🔲 Temp	orarily Abandon	1 Toduction Start-up		
13. Describe Proposed or Completed Op	☐ Convert to Injection		_	r Disposal			
determined that the site is ready for f							
14. I hereby certify that the foregoing i	Ciantamia Cubasionio	n #9771 verified by the BL ANDOAH ENERGY INC., se	M Well Information of the Medical Medical Control of the Vernal of the Vernal of the Medical Control of the Medical October 1981 (1981) and the Medical October 1981 (1981) an	on System			
Name (Printed/Typed) ANN PET		Title A	ADMINISTRATI\	/E CONTACT			
Name (Printed/Typed) ANN PET	IRIK	7,11,10	ADVIII TO THE THE				
Signature (Electronic	Submission)	Date 1	12/13/2001				
	THIS SPACE	FOR FEDERAL OR S	TATE OFFICE	USE			
		Title		Date			
Approved By Conditions of approval, if any, are attach certify that the applicant holds legal or ewhich would entitle the applicant to conditions.	quitable title to those rights in	oes not warrant or	e				
Title 18 U.S.C. Section 1001 and Title 4							

F₉₃ m 3160-4 (November 1983) (formerly 9-330)

UNIT > STATES DEPARTME... OF THE INTERIOR

SUBMIT IN DUPLIC'

Form approved. Budget Bureau No. 1004-0137

(See c (in-

Expires August 31, 1985

11/17/2001 11/17/2001 12/11/2001 12/								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG * 18. TYPE OF WELL ORL ORL ORL ORL ORL ORL ORL ORL ORL O		Бекале	Of Edition			reverse side).	LEASE DESI	GNATION AND SERIAL NO.
18. TYPE OF WELL						,	UTU-0259	062
18. TYPE OF WELL							6 IE INDIAN	ALLOTTEE OR TRIBE NAME
1. TYPE OF WELL			ON OR RECOM	DI ETION DEPOE	T AND LOG *		0. II II II II II II I	EEG. 122 010 1-1-2
15. TYPE OF COMPLETION WELL WORK PART PAR	'	WELL COMPLETION	ON OR RECOM	FLETION REPOR	T ALLO EGG		-i	
18. TYPE OF COMPLETION WELL WELL NEW Other Other	· TUDE OF WELL	OII.	GAS				UNIT AGRE	EMENT NAME
NAME OFFICE STATE SEASON CORP. SERVE CORP. SEASON CORP. SEASON CORP. SEASON CORP. SEASON CORP. C	1a. TYPE OF WELL			L X DRY	Other			
NAME OFFICE STATE SEASON CORP. SERVE CORP. SEASON CORP. SEASON CORP. SEASON CORP. SEASON CORP. C			<u> </u>	<u></u>		**************************************		
NAME	b TYPE OF COMP	LETION				A	e FARMORI	EASE NAME
NAME OF OPERATURE DRIVER	NEW				Other			
ADDRESS OF OPERATOR IO.	WELL X	OVER EN	L BAG	K L MESTR L			a nert vo	
10 17 17 18 18 18 18 18 19 19 19	2. NAME OF OPERATO	R						V-17-8-21
THORE ARE 1750 South Vernal Utah 84078	Shenandoah Ene	ergy Inc.				· · · · · · · · · · · · · · · · · · ·		
3. ADDRESS OF OPERATION 1100 25 mt 17500 50 mt 17500 50 mt 17500 50 mt 50					01-10-	03	10 FIELD AND	POOL, OR WILDCAT
A startine SESE S17-T8S-R21E 680 FSL 919 FEL. At logical digital point of below Same At logical digital source 12 FERMIT NO. At logical digital 12 FERMIT NO. At logical digital 12 FERMIT NO. At logical digital 13 FERMIT NO. At logical digital 14 FERMIT NO. At logical digital 15 FERMIT NO. At logical digital 15 FERMIT NO. At logical digital 15 FERMIT NO. At logical digital 16 FERMIT	3. ADDRESS OF OPERA	ATOR	ь 84078	-				
A THE PRODUCTION OF THE COMPLETION FOR BUTTON, CBL. 10 - 5 - C. AND DIFFERENCE STORM SERVED	11002 East 1/50	J. (Report location clearly	and in accordance wit	th any State requirements)	*	and the same the property of		
At the proof interval reported below Same 14 PERMIT NO. DATE ISSUED 15 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 18 DATE SINCEPPE 19 DATE SINCEPPE 10 DATE SINCEPPE 10 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 12 DATE SINCEPPE 13 DATE SINCEPPE 14 PERMIT NO. DATE SINCEPPE 15 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 18 DATE SINCEPPE 19 DATE SINCEPPE 10 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 12 DATE SINCEPPE 13 DATE SINCEPPE 14 PERMIT NO. DATE SINCEPPE 15 DATE SINCEPPE 16 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 18 DATE SINCEPPE 19 DATE SINCEPPE 10 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 10 DATE SINCEPPE 10 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 11 DATE COMPL. (Ready to proof) 11 DATE COMPL. (Ready to proof) 12 DATE SINCEPPE 11 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 12 DATE SINCEPPE 11 DATE COMPL. (Ready to proof) 12 DATE SINCEPPE 12 COLONY OF THE COLOR. (RECORD) 12 DATE SINCEPPE 13 DATE SINCEPPE 14 PERMIT NO. (DATE SINCEPPE 14 PERMIT NO. (DATE SINCEPPE 15 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 17 DATE SINCEPPE 18 DATE SINCEPPE 19 DATE SINCEPPE 19 DATE SINCEPPE 10 DATE SINCEPPE 10 DATE SINCEPPE 10 DATE SINCEPPE 11 DATE SINCEPPE 11 DATE SINCEPPE 11 DATE SINCEPPE 11 DATE SINCEPPE 12 DATE SINCEPPE 12 DATE SINCEPPE 13 DATE SINCEPPE 14 DATE SINCEPPE 15 DATE SINCEPPE 16 DATE SINCEPPE 17 DATE S	4. LOCATION OF WES	DE (Ateport to cannot a seem y						A STATE OF THE STA
At load depth Same	At surface SESE	S17-T8S-R21E 68	80' FSL 919' FE	CL AAI	أحضا كمسا كواسطا	A F		M., OR BLOCK AND SURVEY
AT I PERMIT NO. DATE ISSUED 12 CEMPTY RE 13 STATE PANEST 13 STATE PANEST PA						* •	-S30 - T0	
A I I I I I I I I I I I I I I I I I I	At top rod. interval rep	onted below Sam	ie	V **			517-T	85-R21E
1. PREMINTON 1. PARSIN 1. PARSIN 1. PARSIN 1. PARSIN 1. PARSIN 1. 1. PARSIN 1. PARS	At total depth S	ame						
S. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMP. 21. PLACE BLOOK 17. DATE COMP. 21. PLACE BLOOK 17. DATE COMP. 22. IF MULTIPLE COMPL. 23. INTERVALS ROTARY TOOLS CABLE TOOLS 7725' 7650' 22. IF MULTIPLE COMPL. 23. INTERVALS ROTARY TOOLS CABLE TOOLS 7725' 7650' 22. IF MULTIPLE COMPL. 23. INTERVALS ROTARY TOOLS CABLE TOOLS 7725' 7650' 27. WAS BIRICTOONAL 18. WAS DIRICH DAY 22. IF MULTIPLE COMPL. 23. INTERVALS ROTARY TOOLS CABLE TOOLS 7725' 27. WAS WELL CORED 7725' 27. WAS WELL CORED 7725' 77. WAS WELL CORED 77. W				14. PERMIT NO.	DA	TE ISSUED		
5 DATE PLACED 16 DATE LO REACHED 121/17/2001 11/17/2001 121/17/2001 121/17/2001 121/17/2001 121/17/2001 121/17/2001 4693* GL 0. TOTAL DEPTH, MD & IVD 21. PLUG BACK T.D., MD & IVD 21. FMOUNTPLE COMPL. 23. FMOUNTPLE COMPL. 23. FMOUNTPLE COMPL. 23. MYS DIRECTIONAL SURVEY MADE 4. PRODUCTION INTERVALES, OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND IVD)* 4. PRODUCTION INTERVALES, OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND IVD)* 5. TYPE FLECTERS, MOUTHER LOGS RUN /- / e - / / / - 5 * e /								
10 1772001 11772001 11772001 11772001 11772001 12 PLUG BACK T.D., MD & TVD 11 PLUG BACK T.D., MD & TVD 12 PLUG BACK T.D., MD & TVD PLUG BACK	5. DATE SPUDDED		HED		. (Ready to prod.)		(DF, RKB, RT, GR, ETC	2.)* 19. ELEV. CASINGHEAL
O TOTAL DEPTH, MD & TOT 21. PLUG BOK R. I. 21. PLUG BOK R. I. 22. WAS DIRECTIONAL PRODUCTION OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 23. WAS DIRECTIONAL SURVEY MADE			WITE AND STIE		I E COMPL		ROTARY TOOL	S CABLE TOOLS
A PRODUCTION ENTERVALES, OF THIS COMPLETION. TOP, HOTTOM, NAME (MD AND TVD) 25 WAS DIRECTIONAL SURVEY MADE	0. TOTAL DEPTH, MD & T	VD 21. PLUG BA	CK 1.D., MD & 1VD			DRILLED BY		
A PRODUCTION ENTERVALES, OF THIS COMPLETION. NAME (MI AND INIT)	7725'					>	X	25 WAS DIRECTIONAL
ACASING RECORD ACQUIRED ACQ	4. PRODUCING INTERVAL	L(S), OF THIS COMPLETIC	ONTOP, BOTTOM, N	(AME (MD AND 1 VD)"				OUTDAIRSEA LA DE
27. WAS WELL CORED NO NO NO NO NO NO NO NO								SURVEY MADE
CASING RECORD Report all strings set in well	6494' to 7358'	WASA	АТСН					1
CASING RECORD Record all strings set in well	6494' to 7358'	WASA	АТСН					1
CASING RECORD Report of larings set in well Size CEMENTING RECORD AMOUNT PULLED Size CEMENTING RECORD AMOUNT PULLED Size CEMENTING RECORD Size Siz							T	NO
SIZE					-			NO 27. WAS WELL CORED
11.6# 7725' 77/8" 1110 SXS	26. TYPE ELECTRIC AND SPECTRAL DEN			13-5-0 (CASING RECORT				NO 27. WAS WELL CORED NO
11.69	26. TYPE ELECTRIC AND SPECTRAL DEN	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT.	OCTION, CBL DEPTHS	CASING RECORI	HOLE SIZE	CEMENTI	NG RECORD	NO 27. WAS WELL CORED NO
SIZE	26 TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36#	OCTION, CBL -	CASING RECORD	HOLE SIZE	CEMENTI 17:	NG RECORD 5 SXS	NO 27. WAS WELL CORED NO
SIZE	26 TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36#	OCTION, CBL -	CASING RECORD	HOLE SIZE	CEMENTI 17:	NG RECORD 5 SXS	NO 27. WAS WELL CORED NO
SIZE	26 TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36#	OCTION, CBL -	CASING RECORD	HOLE SIZE	CEMENTI 17:	NG RECORD 5 SXS	NO 27. WAS WELL CORED NO
31. PERFORATION RECORD (Interval, size and number) 6494° 6504' 7348°-7358' 6817' 6827' DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 6817' 6827' Sand frac w/ 57,500# in 24,400 gals 7062' -7072' Sand frac w/ 57,500# in 23,000 gals 7228' -7234' 7062' -7072' Sand frac w/ 57,500# in 23,000 gals 7228' -7234' 7062' -7072' Sand frac w/ 57,500# in 23,000 gals 7228' -7234' 7062' -7072' Sand frac w/ 57,500# in 23,000 gals 7228' -7238' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 240,000# in 83,900 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23,000 gals 7228' -7258' Sand frac w/ 57,500# in 23	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 41/2"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36#	DEPTHS DEPTHS 46 77	CASING RECORD	HOLE SIZE	CEMENT) 17: 111	NG RECORD 5 SXS 0 SXS	NO 27. WAS WELL CORED NO AMOUNT PULLED
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 41/2"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36# 11.6#	DEPTH S 46 77 LINER RECORD	CASING RECORI CASING RECORI SET (MD) 33' 25'	12¼" 7 7/8"	CEMENTI 175 111 30. SIZE	NG RECORD 5 SXS 0 SXS TUBING DEPTH SET (M	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD)
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 41/2"	OTHER LOGS RUN //- SITY, HIRES INDU WEIGHT, LB/FT. 36# 11.6#	DEPTH S 46 77 LINER RECORD	CASING RECORI CASING RECORI SET (MD) 33' 25'	12¼" 7 7/8"	CEMENTI 175 111 30. SIZE	NG RECORD 5 SXS 0 SXS TUBING DEPTH SET (M	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD)
6494'-6504' Sand frac w/ 57,500# in 24,400 gals 6817'-6827' Sand frac w/ 57,500# in 24,400 gals 7062'-7072' Sand frac w/ 57,500# in 23,300 gals 7228'-7234' 7062'-7072' Sand frac w/ 57,500# in 23,300 gals 7244'-7248' PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) PRODUCTION PRODUCTION PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) PRODUCTION PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) WELL STATUS (Producing or shut-in) producing Flowing gas well TEST PERIOD 12/19/2001 24 18/64" OIL-BBL. GAS-MCF. WATER-BBL. GAS-OIL RATIO 12/19/2001 24 18/64" OIL-BBL. GAS-MCF. WATER-BBL. OIL GRAVITY-API (CORR.) 1354 1631 GAS-MCF. WATER-BBL. OIL GRAVITY-API (CORR.) 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold TEST WITNESSED BY Sold	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 41/2"	WEIGHT, LB/FT. 36# 11.6#	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	HOLE SIZE 12½" 7 7/8" SCREEN (MD)	30. SIZE 2 3/8"	NG RECORD 5 SXS 0 SXS TUBING DEPTH SET (M 7203'	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A
	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO	WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and num	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	12½" 7 7/8" SCREEN (MD)	30. SIZE 2 3/8" ACID, SHOT, F	NG RECORD 5 SXS 0 SXS TUBING DEPTH SET (M 7203'	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC.
7062'-7072' Sand frac w 57,500# in 23,300 gals	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO	WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and num	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER	30. SIZE 2 3/8" ACID, SHOT, F	NG RECORD 5 SXS 0 SXS TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. NO OF MATERIAL USED
7244'-7248' 7228'-7358' Sand frac w/ 240,000# in 88,900 gals 33.* PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) WELL STATUS (Producing or shut-in) Producing Producing or shut-in) Producing Producing or shut-in) Producing	26. Type electric and SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION REC 6494'-6504' 6817'-6827'	WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and num	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	HOLE SIZE 12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5'	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals
PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) WELL STATUS (Producing or shut-in) PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) WELL STATUS (Producing or shut-in) Producing	26. Type electric and spectral dense 28. Casing size 9 5/8" 41/2" 29. Size 31. Perforation recommendation of the size 494'-6504' 6817'-6827' 7062'-7072'	WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and num	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT'S AMOUNT AND KI Sand frac w/ 50' Sand frac w/ 50'	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals
DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumpingsize and type of pump) WELL STATUS (Producing or shut-in) producing	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECC 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234'	WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and num	DEPTH S 46 77 LINER RECORD BOTTOM (MD)	CASING RECORI CASING RECORI SET (MD) 33' 25'	HOLE SIZE 12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6. 6817'-6. 7062'-7.	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 072'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 5'	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals
12/12/2001 Flowing gas well PROD'N FOR TEST PERIOD 10 3,224 31	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECC 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248'	TOP (MD) ORD (Interval, size and num 7348'-7358'	DEPTH S 46 77. LINER RECORD BOTTOM (MD)	CASING RECORD SET (MD) 33' 25' SACKS CEMENT*	12'4" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 072'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT'S AMOUNT AND KI Sand frac w/ 50 Sand frac w/ 50 Sand frac w/ 52	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals
DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N FOR TEST PERIOD 12/19/2001 24 18/64"> 10 3,224 31 FLOW. TUBING PRESS. CASING PRESSURE 24-HOUR RATE> 0IL-BBL. GAS-MCF. WATER-BBL. GAS-OIL RATIO 1354 1631> TEST WITNESSED BY Sold	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECG 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.*	TOP (MD) ORD (Interval, size and num 7348'-7358'	DEPTH S 46 77. LINER RECORD BOTTOM (MD)	CASING RECORD SET (MD) 33' 25' SACKS CEMENT*	12'4" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 072'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 57 Sand frac w/ 50 Sand frac w/ 24 WELL:	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS (Producing or
12/19/2001 24 18/64" TEST PERIOD 10 3,224 31 FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE 1354 CALCULATED 24-HOUR RATE 2	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION	OTHER LOGS RUN J-SITY, HIRES INDI WEIGHT, LB/FT. 36# 11.6# TOP (MD) ORD (Interval, size and nun 7348'-7358'	DEPTH S 46 77. LINER RECORD BOTTOM (MD) wher)	CASING RECORD SET (MD) 33' 25' SACKS CEMENT*	12'4" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 072'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL: shut-in)	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS (**Producing or**)
FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE 24-HOUR RA	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION 12/12/2001	TOP (MD) ORD (Interval, size and nun 7348'-7358' PRODUCT	DEPTH S 46 77. LINER RECORD BOITOM (MD) mber) TION METHOD (Flow	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* From, gas lift, pumping-size PROD'N FOR	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump)	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL: shut-in) produ	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS Producing or ucing
24-HOUR RATE 1354 1631 24-HOUR RATE 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) sold TEST WITNESSED BY	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION 12/12/2001 DATE OF TEST	TOP (MD) ORD (Interval, size and num 7348'-7358') PRODUCT Flowing HOURS TESTED	DEPTH S 46 77. LINER RECORD BOTTOM (MD) TION METHOD (Flow g gas well CHOKE SIZE	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* From, gas lift, pumping-size PROD'N FOR TEST PERIOD	12'4" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump) OIL-BBL.	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358'	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL shui-in) produ WATER-BBL	NO 27. WAS WELL CORED NO AMOUNT PULLED RECORD D) PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS Producing or ucing
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY sold	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION 12/12/2001 DATE OF TEST 12/19/2001	TOP (MD) ORD (Interval, size and num 7348'-7358') PRODUCT Flowing HOURS TESTED	DEPTH S 46 77. LINER RECORD BOTTOM (MD) TION METHOD (Flow g gas well CHOKE SIZE 18/64"	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* Fring, gas lift, pumping-size PROD'N FOR TEST PERIOD>	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump) OILBBL. 10	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358' GASMCF.	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL: shui-in) WATER-BBL. 31	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS Producing or using GAS-OIL RATIO
sold	26. TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION RECO 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION 12/12/2001 DATE OF TEST 12/19/2001 FLOW. TUBING PRESS.	TOP (MD) ORD (Interval, size and num 7348'-7358' PRODUCT Flowing HOURS TESTED 24 CASING PRESSURE	DEPTH S 46 77. LINER RECORD BOITOM (MD) TION METHOD (Flow g gas well CHOKE SIZE 18/64" CALCULATED 24-HOUR RATE	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* Fring, gas lift, pumping-size PROD'N FOR TEST PERIOD>	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump) OILBBL. 10	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358' GAS-MCF.	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL: shui-in) WATER-BBL. 31	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS Producing or using GAS-OIL RATIO
	26 TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 4½" 29. SIZE 31. PERFORATION REC 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE FIRST PRODUCTION 12/12/2001 DATE OF TEST 12/19/2001 FLOW. TUBING PRESS. 1354	TOP (MD) ORD (Interval, size and num 7348'-7358' PRODUCT Flowing HOURS TESTED 24 CASING PRESSURE 1631	DEPTH S 46 77. LINER RECORD BOTTOM (MD) TION METHOD (Flow g gas well CHOKE SIZE 18/64" CALCULATED 24-HOUR RATE 24-HOUR RATE	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* Fring, gas lift, pumping-size PROD'N FOR TEST PERIOD>	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump) OILBBL. 10	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358' GAS-MCF.	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL shut-in) produ WATER-BBL 31	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 0,000# in 23,000 gals STATUS Producing or ucing GAS-OIL RATIO OIL GRAVITY-API (CORR.)
	26 TYPE ELECTRIC AND SPECTRAL DEN 28. CASING SIZE 9 5/8" 41/4" 29. SIZE 31. PERFORATION REC 6494'-6504' 6817'-6827' 7062'-7072' 7228'-7234' 7244'-7248' 33.* DATE OF TEST 12/19/2001 FLOW. TUBING PRESS. 1354 34. DISPOSITION OF GAS	TOP (MD) ORD (Interval, size and num 7348'-7358' PRODUCT Flowing HOURS TESTED 24 CASING PRESSURE 1631	DEPTH S 46 77. LINER RECORD BOTTOM (MD) TION METHOD (Flow g gas well CHOKE SIZE 18/64" CALCULATED 24-HOUR RATE 24-HOUR RATE	CASING RECORD SET (MD) 33' 25' SACKS CEMENT* Fring, gas lift, pumping-size PROD'N FOR TEST PERIOD>	12½" 7 7/8" SCREEN (MD) 32. DEPTH INTER 6494'-6 6817'-6 7062'-7 7228'-7 PRODUCTION e and type of pump) OILBBL. 10	30. SIZE 2 3/8" ACID, SHOT, F VAL (MD) 504' 827' 0772' 3358' GAS-MCF.	TUBING DEPTH SET (M 7203' RACTURE, CEMENT S AMOUNT AND KI Sand frac w/ 5' Sand frac w/ 5' Sand frac w/ 24 WELL shut-in) produ WATER-BBL 31	NO 27. WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) N/A QUEEZE, ETC. ND OF MATERIAL USED 7,500# in 24,400 gals 0,000# in 23,000 gals 7,500# in 23,300 gals 0,000# in 88,900 gals STATUS (Producing or acing) GAS-OIL RATIO OIL GRAVITY-API (CORR.)

District Manager

DATE

04/11/2002

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		т	OP
				NAME	MEAS. DEPTH	TRUE VERT. DEP
Vasatch Vasatch Vasatch Vasatch Vasatch	6494' 6817' 7062' 7228' 7244' 7348'	6504' 6827' 7072' 7234' 7234' 7358'	Channel sand	Green River Mahogany Wasatch	2500° 3503° 6005°	

OPERATOR CHANGE WORKSHEET

ROUTING 1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below h	as changed, effective:	2/1/2003
FROM: (Old Operator):		TO: (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526		N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526
Phone: (435) 781-4341		Phone: (435) 781-4341
	A No.	Unit:

WELL(S)	CEC	TWA	DNC	API NO	ENTITY	LEASE	WELL	WELL	Confid
NAME	SEC	IWN	KNG	ATTINO	NO	TYPE	TYPE	STATUS	
	03	080S	210F	4304734109	13368	Federal	OW	P	
WV 15G-3-8-21	03	08 0S		4304734110		Federal	OW	P	
WV 16G-3-8-21	10	080S	1	4304734106		Federal	OW	P	
WV 3G-10-8-21	17	080S		4304734150		Federal	GW	P	
GH 9W-17-8-21	17	080S	1	4304734156		Federal	GW	P	
GH 16W-17-8-21		080S		4304734151		Federal	GW	P	
GH 10W-20-8-21	20	080S		4304734131		Federal	GW	P	
GH 5W-21-8-21	21	080S		4304734148		Federal	GW	P	1
GH 6W-21-8-21	21			4304734149		Federal	GW	P	1
GH 8W-21-8-21	21	080S		4304734149		Federal	GW	P	+
GH 10W-21-8-21	21	080S			_1	Federal	GW	P	+
GH 12W-21-8-21	21	080S		4304734153		Federal	GW	P	+-
GH 14W-21-8-21	21	080S		4304734154		Federal	GW	P	+-
GH 16W-21-8-21	21	080S		4304734157		Federal	GW	P	+-
WV 6W-22-8-21	22	080S		4304734272			GW	P	+
WV 14W-8-8-22	08	080S		4304734007		Federal	GW	P	C
OU GB 6W-20-8-22	20	080S		4304734018		Federal		P	+-
GB 11W-20-8-22	20	080S		4304734039		Federal	GW	P	C
OU GB 4W-20-8-22	20	080S		4304734043		Federal	GW		1
GB 5W-20-8-22	20	080S		4304734209		4 Federal	GW_	P	-
GB 5W-30-8-22	30	080S	220I	E 4304734025	13502	2 Federal	GW	Р	C
		<u> </u>	<u> </u>	<u>!</u>	_ !	!	_i	_1	

OPERATOR CHANGES DOCUMENTATION

Enter	date after	· each	listed	item is	completed	
						Carried Carrie

(R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003

The new company was checked on the Department of Commerce, Division of Corporations Database on: 6/19/2003

YES Business Number: 5292864-0151 Is the new operator registered in the State of Utah:

If NO, the operator was contacted contacted on:

О.	6. (R649-9-2) Waste Management Plan has been received on:	IN PLACE
7.	7. Federal and Indian Lease Wells: The BLM and or the BIA h or operator change for all wells listed on Federal or Indian leases on:	as approved the merger, name change, 7/21/2003
8.	8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells	listed on: <u>7/21/2003</u>
9.	9. Federal and Indian Communization Agreements ("CA") The BLM or BIA has approved the operator for all wells listed within a	: CA on: <u>n/a</u>
10	10. Underground Injection Control ("UIC") The Division of for the enhanced/secondary recovery unit/project for the water disposal was a secondary recovery	has approved UIC Form 5, Transfer of Authority to Inject vell(s) listed on: n/a
DA	DATA ENTRY:	
1.	. Changes entered in the Oil and Gas Database on:	8/27/2003
2.	c. Changes have been entered on the Monthly Operator Change Spread S	heet on: <u>8/27/2003</u>
3.	. Bond information entered in RBDMS on:	n/a
4.	. Fee wells attached to bond in RBDMS on:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ST	STATE WELL(S) BOND VERIFICATION:	
1.	State well(s) covered by D. 131	965-003-032
FE	FEDERAL WELL(S) BOND VERIFICATION:	
۱.	Federal well(s) covered by Dand Name	965-002-976
INI	NDIAN WELL(S) BOND VERIFICATION:	
١.	Indian well(s) covered by Bond Number:	799446
FE	EE WELL(S) BOND VERIFICATION:	
. ((R649-3-1) The NEW operator of any fee well(s) listed covered by Bond N	
T. T	The FORMER operator has requested a release of liability from their bond. The Division sent response by letter on:	on: <u>n/a</u> n/a
LE A	EASE INTEREST OWNER NOTIFICATION:	
. (F	(R649-2-10) The FORMER operator of the fee wells has been contacted and of their responsibility to notify all interest owners of this change on:	d informed by a letter from the Divisionn/a
ON	DMMENTS:	



uestar Exploration and Production Company

Independence Plaza 1050 17th Street, Suite 500

Denver, CO 80265

Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen Division Landman

hard Thelen

Enclosure

RECEIVED

JUN 0 2 2003

well_name	Sec	T	R	api	Entity	Lease Type
UTAH STATE I	36	070S	240E	4304715128		State
BRENNAN FED 3	17	070S	210E		10750	Federal
FEDERAL 2-29-7-22		070S	220E			Federal
FS PRINCE GOVT 1	10	070S	240E	4304716199		Federal
KAYE STATE 1-16	16	100S	230E	4304730609	-	State
LEOTA FED 1	34	070S	210E	4304730879		Federal
GULF BRENNAN FED 8	17	070S	210E	4304731509	-	Federal
RFC 1	20	0708	210E	4304731805		Federal
EAST COYOTE FED 14-4-8-25	04	0808	250E	4304732493		Federal
F S PRINCE 4	03	070S	240E	4304732677		Federal
GYPSUM HILLS 21	21	0805	210E	4304732692		Federal
TOLL STATION ST 8-36-8-21	36	0808	210E	4304732724	12361	
SAGE GROUSE FED 6-14-8-22	14	0808	220E	4304732746		Federal
GYPSUM HILLS 22WG GLEN BENCH ST 8A-36-8-21	22	0805	210E	4304732818		Federal
	36	0805	210E	4304733037	12377	
GLEN BENCH ST 6-36-8-21 SAGE GROUSE 12A-14-8-22	36	0805	210E	4304733038	12378	
OU GB 12W-20-8-22	20	080S	220E	4304733177		Federal
GLEN BENCH ST 2-36-8-21	36	+	220E 210E	4304733249		Federal
GBU 15-18-8-22	18	080S 080S	220E	4304733252 4304733364	12527	
GLEN BENCH FED 3W-17-8-22	17	080S	220E			Federal
GLEN BENCH FED 5W-17-8-22 GLEN BENCH FED 5W-17-8-22	17	080S	220E	4304733513		Federal Federal
WV FED 9W-8-8-22	08	080S	220E	4304733514		Federal
GB FED 9W-18-8-22	18	0805	220E	4304733515		Federal
OU GB 3W-20-8-22	20	080S	220E	4304733516		Federal
GHU 10W-19-8-21	19	080S	210E	4304733528		Federal
GH 1W-32-8-21	32	080S	210E	4304733528	12797	
GH 3W-32-8-21	32	080S	210E	4304733571	12796	
GH 5W-32-8-21	32	0805	210E	4304733571	12828	
GH 7W-32-8-21	32	080S	210E	4304733573	12872	
GLEN BENCH 12W-30-8-22	30	080S	220E	4304733670		Federal
GH 2W-32-8-21	32	080S	210E	4304733744	13029	
GH 4W-32-8-21	32	080S	210E	4304733745	13035	
GH 8W-32-8-21	32	080S	210E	4304733746	13030	
GB 3W-16-8-22	16	080S	220E	4304733751	13577	
GB 5W-16-8-22	16	080S	220E	4304733752	13570	
GH 6W-32-8-21	32	080S	210E	4304733753	13036	
GB 11W-16-8-22	16	080S	220E	4304733754	13582	State
GH 7W-21-8-21	21	080S	210E	4304733845	13050	Federal
GH 9W-21-8-21	21	080S	210E	4304733846		Federal
GH 11W-21-8-21	21	080S	210E	4304733847	13049	Federal
GH 15W-21-8-21	21	080S	210E	4304733848	13051	Federal
GH 5G-32-8-21	32	080S	210E	4304733866	13037	State
WV 9W-23-8-21	23	080S	210E	4304733909	13160	Federal
GHU 14W-20-8-21	20	080S	210E	4304733915	13073	Federal
GB 1W-36-8-21	36	080S	210E	4304733944	13439	
GB 4W-30-8-22	30	080S	220E	4304733945	13372	
GB 9W-19-8-22	19	080S	220E	4304733946	13393	
GB 10W-30-8-22	30	080S	220E	4304733947	13389	
GB 12W-19-8-22 WV 5W-17-8-21	19	080S	220E	4304733948	13388	
WV 7W-17-8-21	17	0805	210E	4304733954	13332	
GB 9W-25-8-21	17	080S	210E	4304733956	13330	
WV 1W-5-8-22	25	080S	210E	4304733960	13390	
WV 3W-5-8-22	05	0805	220E	4304733985	13369	
WV 7W-5-8-22	05	080S 080S	220E	4304733987	13321	
WV 9W-5-8-22	05	080S	220E	4304733988	13235:1	
WV 11W-5-8-22	05	080S	220E	4304733990	13238:1	
WV 13W-5-8-22	05	080S	220E 220E	4304733992	13239:1	
WV 15W-5-8-22		080S		4304733994	13236	
WV 8W-8-8-22	08	080S	220E 220E	4304733996	13240 1	
WV 14W-8-8-22		080S	220E	4304734005	13220 1	
OU GB 6W-20-8-22		080S		4304734007	13322 1	
GB 5W-30-8-22		$\frac{080S}{080S}$	220E	4304734018	13518 F	
GB 11W-20-8-22	$ \stackrel{\cdot}{-}$ $\stackrel{\cdot}{-}$		220E 220E	4304734025	13502 F	
	:20 .	UOUS	ZZUE.	4304734039	13413 F	* a . J 1

well_name	Sec		R	api	Entity Lease Type
OU GB 4W-20-8-22	20	080S		4304734043	13520 Federal
WV 7W-36-7-21	36	070S		4304734065	13334 State
WV 9W-36-7-21	36	070S	210E	4304734066	13331 State
WV 3G-10-8-21	10	080S	210E	4304734106	13241 Federal
WV 15G-3-8-21	03	080S	210E	4304734109	13368 Federal
WV 16G-3-8-21	03	080S	210E	4304734110	13295 Federal
GB 6W-25-8-21	25	080S	210E	4304734121	13440 Fee
GB 7W-25-8-21	. 25	080S	210E	4304734122	13436 Fee
GH 5W-21-8-21	21	080S	210E	4304734147	13387 Federal
GH 6W-21-8-21	21	080S	210E	4304734148	13371 Federal
GH 8W-21-8-21	21	080S	210E	4304734149	13293 Federal
GH 9W-17-8-21	17	080S	210E	4304734150	13392 Federal
GH 10W-20-8-21	20	080S	210E	4304734151	13328 Federal
GH 10W-21-8-21	21	080S	210E	4304734152	13378 Federal
GH 12W-21-8-21	21	080S	210E	4304734153	13294 Federal
GH 14W-21-8-21	21	080S	210E	4304734154	13292 Federal
GH 16W-17-8-21	17	080S	210E	4304734156	13354 Federal
GH 16W-21-8-21	21	080S	210E	4304734157	13329 Federal
GB 5W-20-8-22	20	080S	220E	4304734209	13414 Federal
WV 6W-22-8-21	22	080S	210E	4304734272	13379 Federal
GH 1W-20-8-21	20	080S	210E	4304734327	13451 Federal
GH 2W-20-8-21	20	080S	210E	4304734328	13527 Federal
GH 3W-20-8-21	20	080S	210E	4304734329	13728 Federal
GH 7W-20-8-21	20	080S	210E	4304734332	13537 Federal
GH 9W-20-8-21	20	080S	210E	4304734332	13411 Federal
GH 11W-20-8-21	20	080S	210E	4304734333	13410 Federal
GH 15W-20-8-21	20	_			· · · · · · · · · · · · · · · · · · ·
		080\$	210E	4304734335	13407 Federal
GH 16W-20-8-21	20	0808	210E	4304734336	13501 Federal
WV 12W-23-8-21	23	0805	210E	4304734343	13430 Federal
OU GB 13W-20-8-22	20	080S	220E	4304734348	13495 Federal
OU GB 14W-20-8-22	20	080S	220E	4304734349	13507 Federal
OU GB 11W-29-8-22	29	080S	220E	4304734350	13526 Federal
WV 11G-5-8-22	05	080S	220E	4304734388	13422 Federal
WV 13G-5-8-22	05	080S	220E	4304734389	13738 Federal
WV 15G-5-8-22	05	080S	220E	4304734390	13459 Federal
GB 11W-30-8-22	30	080S	220E	4304734392	13433 Fee
SU BRENNAN W 15W-18-7-22	18	070S	220E	4304734403	13442 Federal
STIRRUP U 16W-5-8-22	05	080S	220E	4304734446	13654 Federal
STIRRUP U 2W-5-8-22	05	080S	220E	4304734455	13700 Federal
WV 10W-5-8-22	05	080S	220E	4304734456	13540 Federal
WV 16W-8-8-22	08	080S	220E	4304734470	13508 Federal
GB 16WX-30-8-22	30	080S	220E	4304734506	13431 Federal
OU GB 1W-19-8-22	19	080S	220E	4304734512	13469 Federal
OU GB 2W-19-8-22	19	080S	220E	4304734513	13461 Federal
OU GB 5W-19-8-22	19	080S	220E	4304734514	13460 Federal
OU GB 7W-19-8-22	19	080S	220E	4304734515	13462 Federal
OU GB 8W-19-8-22	19	080S	220E	4304734516	13489 Federal
OU GB 11W-19-8-22	19	080S	220E	4304734517	13467 Federal
OU GB 16W-19-8-22	19	080S	220E	4304734522	13476 Federal
GB 1W-30-8-22	30	080S	220E	4304734528	13487 Federal
GB 3W-30-8-22	30	080S	220E	4304734529	13493 Federal
GB 6W-30-8-22	30	080S	220E	4304734530	+
BB 7W-30-8-22	30	080S	220E	4304734531	13519 Federal 13494 Federal
GB 8W-30-8-22	30	080S	220E	4304734531	
BB 9W-30-8-22	30	080S	-		13483 Federal
OU GB 6W-19-8-22	19		220E	4304734533	13500 Federal
		080S	220E	4304734534	13475 Federal
OU GB 10W-19-8-22	19	080S	220E	4304734535	13479 Federal
OU GB 13W-19-8-22	19	080\$	220E	4304734536	13478 Federal
OU GB 14W-19-8-22	19	_080S	220E	4304734537	13484 Federal
OU GB 15W-19-8-22	19	080S	220E	4304734538	13482 Federal
OU GB 12W-17-8-22	17	_080S	220E	4304734542	13543 Federal
OU GB 6W-17-8-22	17	080S	220E	4304734543	13536 Federal
OU GB 13W-17-8-22	17	080S	220E	4304734544	13547 Federal
U GB 6W-29-8-22	29	080S	220E	4304734545	
U GB 3W-29-8-22	29			4304734546	13535 Federal

SEI (N4235) to QEP (N2460)

well_name	Sec	Т	R	api	Entity	Lease Type
OU GB 13W-29-8-22	29	080S	220E	4304734547		Federal
OU GB 4W-29-8-22	29	080S	220E	4304734548		Federal
OU GB 5W-29-8-22	29	080S	220E	4304734549	13505	Federal
OU GB 14W-17-8-22	17	0808	220E	4304734550	13550	Federal
OU GB 11W-17-8-22	17	080S	220E	4304734553	13671	Federal
OU GB 14W-29-8-22	29	080S	220E	4304734554	13528	Federal
OU GB 2W-17-8-22	17	080S	220E	4304734559	13539	Federal
OU GB 7W-17-8-22	17	080S	220E	4304734560	13599	Federal
GH EXT 15W-17-8-21	17	080S	210E	4304734562	13674	Federal
OU GB 16W-18-8-22	18	080S	220E	4304734563	13559	Federal
OU GB 1W-29-8-22	29	080S	220E	4304734573	13562	Federal
OU GB 7W-29-8-22	29	080S	220E	4304734574	13564	Federal
OU GB 8W-29-8-22	29	080S	220E	4304734575	13609	Federal
OU GB 9W-29-8-22	29	080S	220E	4304734576	13551	Federal
OU GB 10W-29-8-22	29	080S	220E	4304734577	13594	Federal
OU GB 15W-29-8-22	29	080S	220E	4304734578	13569	Federal
OU GB 4W-16-8-22	16	080S	220E	4304734598	13579	State
OU GB 2W-20-8-22	20	080S	220E	4304734599	13664	Federal
OU GB 2W-29-8-22	29	0808	220E	4304734600	13691	Federal
OU GB 15W-17-8-22	17	080S	220E	4304734601	13632	Federal
OU GB 16W-17-8-22	17	080S	220E	4304734602	13639	Federal
OU GB 16W-29-8-22	29	080S	220E	4304734603	13610	Federal
OU GB 1W-20-8-22	20	080S	220E	4304734604	13612	Federal
OU GB 12W-16-8-22	16	080S	220E	4304734617	13697	State
OU GB 13W-16-8-22	16	080S	220E	4304734618	13611	State
OU GB 15W-16-8-22	16	080S	220E	4304734622	13595	State
OU GB 1W-17-8-22	17	080S	220E	4304734623	13701	Federal
OU GB 9W-17-8-22	17	080S	220E	4304734624	13663	Federal
OU GB 10W-17-8-22	17	080S	220E	4304734625	13684	Federal
OU GB 9W-20-8-22	20	080S	220E	4304734630	13637	Federal
OU GB 10W-20-8-22	20	080S	220E	4304734631	13682	Federal
OU GB 15W-20-8-22	20	080S	220E	4304734632	13616	Federal
OU WIH 13W-21-8-22	21	080S	220E	4304734646	13745	Federal
OU GB 13W-9-8-22	09	080S	220E	4304734654	13706	Federal
OU GB 2W-16-8-22	16	080S	220E	4304734657	13721	State
OU GB 6W-16-8-22	16	080S	220E	4304734658	13592	State
OU GB 7W-16-8-22	16	080S	220E	4304734659	13747	State
OU GB 14W-21-8-22	21	080S	220E	4304734664	13720	Federal
OU GB 12WX-29-8-22	29	080S	220E	4304734668	13555	Federal
OU WIH 10W-21-8-22	21	080S	220E	4304734681	13662	Federal
OU GB 3W-21-8-22	21	080S	220E	4304734686		Federal
OU GB 16SG-30-8-22	30	080S	220E	4304734688	13593	Federal
OU WIH 7W-21-8-22	21	080S	220E	4304734689		Federal
OU GB 5W-21-8-22	21	080S	220E	4304734690	13770	Federal
OU GB 7W-20-8-22	20	080S	220E	4304734705	13710	Federal
OU SG 10W-15-8-22	15	080S	220E	4304734719	13725	Federal
OU SG 9W-10-8-22	10	080S	220E	4304734783	13722	Federal

JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc. 1050 17th Street Suite 500 Denver, Colorado 80265 Oil and Gas lease

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Wilbert B. Forbes

Land Law Examiner

Branch of Use Authorization

Division of Resources Planning,

S/ wilber + B Forbes

Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 (UT-924)

July 21, 2003

Memorandum

To:

Yernal Field Office

From:

Chief, Branch of Minerals Adjudication

Subject:

Name Change Approval

Attached is an approved copy of the name change from BLM-Eastern States, which is recognized by the Utah State Office. We have updated our records to reflect:

The name change from Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated is effective July 23, 1999. The BLM Bond Number is ESB000024.

Mary Higgins

Acting Chief, Branch of Minerals Adjudication

Enclosure

- 1. Eastern States Letter
- 2. List of leases

cc:

MMS, James Sykes, PO Box 25165, M/S 357 B1, Denver CO 80225

State of Utah, DOGM, Earlene Russell (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922) Joe Incardine (UT-921)

RECEIVED

JUL 2 9 2003

DIV. OF OIL, GAS & MINING

Exhibit of Leases

UTSL-065342	UTU-0825	UTU-65472	UTU-74971
UTSL-065429	UTU-0826	UTU-65632	UTU-74972
UTSL-066409-A	UTU-0827	UTU-67844	UTU-75079
UTSL-066446	UTU-0828	UTU-68217	UTU-75080
UTSL-066446-A	UTU-0829	UTU-68218	UTU-75081
UTSL-066446-B	UTU-0830	UTU-68219	UTU-75082
UTSL-066791	UTU-0933	UTU-68220	UTU-75083
UTSL-069330	UTU-0971	UTU-68387	UTU-75084
UTSL-070932-A	UTU-0971-A	UTU-68620	UTU-75085
UTSL-071745	UTU-01089	UTU-69001	UTU-75086
UTSL-071963	UTU-02025	UTU-70853	UTU-75087
UTSL-071964	UTU-02030	UTU-70854	UTU-75088
UTSL-071965	UTU-02060	UTU-70355	UTU-75102
	UTU-02148	UTU-70856	UTU-75103
UTU-046	UTU-02149	UTU-71416	UTU-75116
UTU-055	UTU-02510-A	UTU-72066	UTU-75243
UTU-057	UTU-09613	UTU-72109	UTU-75503
UTU-058	UTU-09617	UTU-72118	UTU-75678
UTU-059	UTU-09809	UTU-72598	UTU-75684
UTU-080	UTU-011225-B	UTU-72634	UTU-76278
UTU-081	UTU-011226	UTU-72649	UTU-75760
UTU-082	UTU-011226-B	UTU-73182	UTU-75939
UTU-093	UTU-012457	UTU-73443	UTU-76039
UTU-0116	UTU-012457-A	UTU-73456	UTU-76482
UTU-0558	UTU-018260-A	UTU-73680	UTU-76507
UTU-0559	UTU-022158	UTU-73681	UTU-76508
UTU-0560	UTU-025960	UTU-73684	UTU-76721
UTU-0561	UTU-025962	UTU-73686	UTU-76835
UTU-0562	UTU-025963	UTU-73687	UTU-77063
UTU-0566	UTU-029649	UTU-73698	UTU-77301
UTU-0567	UTU-65471	UTU-73699	UTU-77308
UTU-0568	UTU-65472	UTU-73700	UTU-78021
UTU-0569	UTU-103144	UTU-73710	UTU-78028
UTU-0570	UTU-140740	UTU-73914	UTU-78029
UTU-0571	UTU-14219	UTU-73917	UTU-78214
UTU-0572	UTU-14639	UTU-74401	UTU-78215
UTU-0629	UTU-16551	UTU-74402	UTU-78216
UTU-0802	UTU-28652	UTU-74407	UTU-80636
UTU-0803	UTU-42050	UTU-74408	UTU-80637
UTU0804	UTU-43915	UTU-74419	UTU-80638
UTU0805	UTU-43916	UTU-74493	UTU-80639
UTU0806	UTU-43917	UTU-74494	UTU-80640
UTU0807	UTU-43918	UTU-74495	010-00040
UTU0809	UTU-56947	UTU-74496	
UTU0810	UTU-65276	UTU-74836	
UTU-0823	UTU-65404	UTU-74842	
UTU-0824	UTU-65471	UTU-74968	
	· · · -	010-17900	

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

Change of Operator (Well Sold)	X - Operator Name Change/Merger								
The operator of the well(s) listed below has chang	1/1/2007								
FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265			TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265						
Phone: 1 (303) 672-6900			Phone: 1 (303)	672-6900					
CA No.			Unit:		GYPSUM HII	LS UN	IT		
WELL NAME	SEC TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS		
SEE ATTACHED LISTS			*		0.1000				
OPERATOR CHANGES DOCUMENT. Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The new company was checked on the Departs 4a. Is the new operator registered in the State of U	s received from s received from	om the	NEW operator	on: orporation:	4/19/2007 4/16/2007 s Database on: 764611-0143		1/31/2005		
5a. (R649-9-2)Waste Management Plan has been re	_		IN PLACE	oci.	701011 0113				
5b. Inspections of LA PA state/fee well sites compl			n/a	_					
5c. Reports current for Production/Disposition & S			n/a	-					
6. Federal and Indian Lease Wells: The BL		BIA		– e merger na	me change				
or operator change for all wells listed on Federa				BLM	-	BIA			
7. Federal and Indian Units:		••••	· • • • • • • • • • • • • • • • • • • •				-		
The BLM or BIA has approved the successor	of unit opera	ator for	r wells listed on	:	4/23/2007				
8. Federal and Indian Communization Ag						•			
The BLM or BIA has approved the operator	for all wells l	isted w	vithin a CA on:						
9. Underground Injection Control ("UIC")	The Di	ivision has appr	oved UIC F	orm 5, Transfer	of Auth	ority to		
Inject, for the enhanced/secondary recovery un	it/project for	the wa	ater disposal we	ell(s) listed c	n:		_		
DATA ENTRY:									
1. Changes entered in the Oil and Gas Database			4/30/2007 and						
2. Changes have been entered on the Monthly Op	erator Cha	nge Sp			4/30/2007 and 5	5/15/2007	7		
3. Bond information entered in RBDMS on:			4/30/2007 and						
4. Fee/State wells attached to bond in RBDMS on5. Injection Projects to new operator in RBDMS of			4/30/2007 and 4/30/2007 and						
6. Receipt of Acceptance of Drilling Procedures f		on:	4/30/2007 and	n/a					
BOND VERIFICATION:	01 211 15/11011	011.		11 4					
Federal well(s) covered by Bond Number:			ESB000024						
2. Indian well(s) covered by Bond Number:			799446	_					
3a. (R649-3-1) The NEW operator of any state/fe	ered by Bond N	- lumber	965003033						
3b. The FORMER operator has requested a release of liability from their bond on: n/a									
LEASE INTEREST OWNER NOTIFICATION:									
4. (R649-2-10) The NEW operator of the fee wells				by a letter fr	om the Division				
of their responsibility to notify all interest owne	rs of this cha	nge on	:	n/a	-				
COMMENTS: THIS IS A COMPANY NAME OF	HANGE								
SOME WELL NAMES HA		HANC	SED AS REQU	J <u>EST</u> ED					

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GYPSUM HILLS 3	GH 3	NENE	20	080S	210E	4304720002	5355	Federal	WI	A
GYPSUM HILLS 4	GH 4	SWSE	19	080S	210E	4304730028	5355	Federal	OW	P
GYPSUM HILLS 6	GH 6	NENW	20	080S	210E	4304730099	5251	Federal	WI	A
COSTAS FED 1-20-4B	GH 1-20	NESW	20	080S	210E	4304731006	5355	Federal	WI	A
WHITON FED 1-19-3C	GH 1-19	SESE	19	080S	210E	4304731065	5355	Federal	OW	P
COSTAS FED 2-20-3B	GH 2-20	NESE	20	080S	210E	4304731066	5355	Federal	WI	A
STAGECOACH FED 23-21	GH 23-21	NWSW	21	080S	210E	4304731541	5355	Federal	OW	P
COSTAS FED 3-21-1D	GH 3-21	SWNW	21	080S	210E	4304731604	5355	Federal	WI	A
COSTAS FED 4-21-1C	GH 4-21	SENW	21	080S	210E	4304731826	5355	Federal	OW	P
COSTAS FED 5-21-2C	GH 5-21	SENE	21	080S	210E	4304731827	5355	Federal	OW	P
SRU 8-I	GH 8-I	SWNE	20	080S	210E	4304731932	5355	Federal	WI	A
GYPSUM HILLS 9	GH 9	SENE	20	080S	210E	4304732304	5355	Federal	OW	P
GYPSUM HILLS 10	GH 10	NWSE	21	080S	210E	4304732306	5355	Federal	WI	A
GYPSUM HILLS 12	GH 12	NESE	19	080S	210E	4304732458	5355	Federal	WI	A
GYPSUM HILLS 11	GH 11	NWSE	20	080S	210E	4304732459	5355	Federal	OW	P
GYPSUM HILLS 13	GH 13	NESW	21	080S	210E	4304732460	5355	Federal	OW	P
GYPSUM HILLS 14	GH 13	NWSW	20	080S	210E	4304732647	5355	Federal	OW	P
GYPSUM HILLS 15	GH 15	SWSW	20	080S	210E	4304732648	5355	Federal	WI	A
GYPSUM HILLS 17	GH 17	SWSE	20	080S	210E	4304732649	-	Federal	WI	A
GYPSUM HILLS 18	GH 18	SESE	20	080S	210E	4304732650	5355	Federal	OW	P
GYPSUM HILLS 19	GH 19	SWNW	20	080S	210E	4304732651	5355	Federal	OW	P
GYPSUM HILLS 20	GH 20	SENW	20	080S	210E	4304732652	5355	Federal	OW	P
GYPSUM HILLS 16	GH 16	SESW	20	080S	210E	4304732675	5355	Federal	OW	Р
GHU 10W-19-8-21	GH 10W-19-8-21	NWSE	19	080S	210E	4304733528	12736	Federal	GW	P
GH 10G-19-8-21	GH 10G-19-8-21	NWSE	19	080S	210E	4304733566	5355	Federal	OW	P
WVFU 11W-17-8-21	WV 11W-17-8-20	NESW	17	080S	210E	4304733912		Federal	GW	P
WV 5W-17-8-21	WV 5W-17-8-21	SWNW	17	080S	210E	4304733954		Federal	GW	P
WV 7W-17-8-21	WV 7W-17-8-21	SWNE	17	080S	210E	4304733956	13330	Federal	GW	P
GH 9W-17-8-21	GH 9W-17-8-21	NESE	17	080S	210E	4304734150	13392	Federal	GW	P
GH 16W-17-8-21	GH 16W-17-8-21	SESE	17	080S	210E	4304734156	13354	Federal	GW	P
WV EXT 10W-17-8-21	WVX 10W-17-8-20	NWSE	17	080S	210E	4304734561		Federal	GW	P
GH EXT 15W-17-8-21	GHX 15W-17-8-20	SWSE	17	080S	210E	4304734562	13674	Federal	GW	P
GYPSUM HILLS 13HG-17-8-21	GHX 13HG-17-8-21	SWSW	17	080S	210E	4304734723	5355	Federal	OW	S
GH 1G-17-8-21	GH 1G-17-8-21	NENE	17		210E	4304734927		Federal	OW	P
WV EXT 2W-17-8-21	WVX 2W-17-8-20	NWNE	17	080S	210E	4304734928		Federal	GW	P
WV EXT 8W-17-8-21	WVX 8W-17-8-20	SENE	17	080S	210E	4304734929		Federal	GW	P
GH 4MU-20-8-21	GH 4MU-20-8-21	NWNW	20	080S	210E	4304735068	1000	Federal	GW	P
GYPSUM HILLS 13MU-20-8-21	GH 13MU-20-8-20	SWSW	20	080S	210E	4304735070		Federal	GW	P
GH 5W-20-8-21	GH 5W-20-8-21	SWNW	20	080S	210E	4304735097		Federal	GW	P
WVX 3MU-17-8-21	WVX 3MU-17-8-21	NENW	17	080S	210E	4304735318		Federal	GW	P
GH 15ML-18-8-21	GH 15ML-18-8-21	SWSE	18		210E	4304735323		Federal	GW	DRL

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GH 1ML-19-8-21	GH 1ML-19-8-21	NENE	19	080S	210E	4304735324	14824	Federal	GW	P
GH 16W-19-8-21	GH 16W-19-8-21	SESE	19	080S	210E	4304735325	14823	Federal	GW	DRL
WVX 14MU 17-8-21	WVX 14MU 17-8-21	SESW	17	080S	210E	4304735369	14098	Federal	GW	P
WVX 12MU-17-8-21	WVX 12MU-17-8-21	NWSW	17	080S	210E	4304735370	15108	Federal	GW	P
WVX 8MU-19-8-21	WVX 8MU-19-8-21	SENE	19	080S	210E	4304735372	14241	Federal	GW	P
GH 10ML-18-8-21	GH 10ML-18-8-21	NWSE	18	080S	210E	4304735391	15482	Federal	GW	P
GH 8G-17-8-21	GH 8G-17-8-21	SENE	17	080S	210E	4304737992	5355	Federal	OW	DRL
GH 16G-17-8-21	GH 16G-17-8-21	SESE	17	080S	210E	4304737993	5355	Federal	OW	DRL
WVX 1MU-17-8-21	WVX 1MU-17-8-21	NENE	17	080S	210E	4304738156		Federal	GW	APD
GH 8MU-20-8-21	GH 8-20-8-21	SENE	20	080S	210E	4304738157		Federal	GW	APD
WVX 13MU-17-8-21	WVX 13MU-17-8-21	SWSW	17	080S	210E	4304738188		Federal	GW	APD
WVX 6MU-17-8-21	WVX 6MU-17-8-21	SENW	17	080S	210E	4304738189		Federal	GW	APD
WVX 4MU-17-8-21	WVX 4MU-17-8-21	NWNW	17	080S	210E	4304738190		Federal	GW	APD
WVX 16MU-18-8-21	WVX 16MU-18-8-21	SESE	18	080S	210E	4304738191		Federal	GW	APD
GH 2MU-19-8-21	GH 2MU-19-8-21	NWNE	19	080S	210E	4304738192		Federal	GW	APD
GH 3MU-19-8-21	GH 3MU-19-8-21	NENW	19	080S	210E	4304738250		Federal	GW	APD
GH 4MU-19-8-21	GH 4MU-19-8-21	NWNW	19	080S	210E	4304738264		Federal	GW	APD
GH 5MU-19-8-21	GH 5MU-19-8-21	SWNW	19	080S	210E	4304738265		Federal	GW	APD
GH 6MU-19-8-21	GH 6MU-19-8-21	SENW	19	080S	210E	4304738266		Federal	GW	APD
GH 7MU-19-8-21	GH 7D-19-8-21	SWNE	19	080S	210E	4304738267		Federal	GW	APD
GH 11MU-19-8-21	GH 11MU-19-8-21	NESW	19	080S	210E	4304738268		Federal	GW	APD
GH 12MU-19-8-21	GH 12MU-19-8-21	NWSW	19	080S	210E	4304738269		Federal	GW	APD
GH 15MU-19-8-21	GH 15MU-19-8-21	SWSE	19	080S	210E	4304738270		Federal	GW	APD
GH 14MU-19-8-21	GH 14MU-19-8-21	SESW	19	080S	210E	4304738472		Federal	GW	APD
WVX 1MU-18-8-21	WVX 1MU-18-8-21	NENE	18	080S	210E	4304738659		Federal	GW	APD
WVX 9MU-18-8-21	WVX 9MU-18-8-21	NESE	18	080S	210E	4304738660		Federal	GW	APD
WVX 8MU-18-8-21	GH 8G-18-8-21	SENE	18	080S	210E	4304738661		Federal	GW	APD
GH 6MU-20-8-21	GH 6-20-8-21	SENW	20	080S	210E	4304738662		Federal	GW	APD

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

	EASE DESIGNATION AND SERIAL NUMBER: SOO ATTACHED B. IF INDIAN, ALLOTTEE OR TRIBE NAME: SOO ATTACHED							
SUNDRY								
Do not use this form for proposals to drill n drill horizontal la	7. UNIT OF CA AGREEMENT NAME: See attached							
1. TYPE OF WELL OIL WELL				1	LL NAME and NUMBER: attached			
2. NAME OF OPERATOR				9. API	NUMBER.			
QUESTAR EXPLORATIO 3. ADDRESS OF OPERATOR:	N AND PRODUCTION COMPAN	ΝY	OHONE MINISTER		ched			
1050 17th Street Suite 500	Denver STATE CO	80265	PHONE NUMBER: (303) 308-3068	10. FIE	ELD AND POOL, OR WILDCAT:			
4. LOCATION OF WELL								
FOOTAGES AT SURFACE: attach	ea			COUNT	ry: Uintah			
QTR/QTR, SECTION, TOWNSHIP, RAN				STATE	UTAH			
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE (OF NOTICE, REPOR	₹T, O	R OTHER DATA			
TYPE OF SUBMISSION		TY	PE OF ACTION					
NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION			
(Submit in Duplicate) Approximate date work will start:	ALTER CASING	FRACTURE		닏	SIDETRACK TO REPAIR WELL			
	CASING REPAIR CHANGE TO PREVIOUS PLANS	☐ NEW CONST		Ц	TEMPORARILY ABANDON			
1/1/2007	CHANGE TUBING	DPERATOR PLUG AND A		님	TUBING REPAIR VENT OR FLARE			
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	BANDON	片	WATER DISPOSAL			
(Submit Original Form Only)	CHANGE WELL STATUS		N (START/RESUME)		WATER SHUT-OFF			
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		ON OF WELL SITE	[_] [Z]	OTHER: Operator Name			
	CONVERT WELL TYPE		E - DIFFERENT FORMATION	W.J	Change			
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) Utah State Bond Number: 965003033 Fee Land Bond Number: 965003033 Current operator of record, QEP UINTA BASIN, INC, hereby resigns as operator of the properties as described on the attached list. Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc. Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list Jay B. Neese, Executive Vice President Questar Exploration and Production Company								
NAME (PLEASE PRINT) DEBTA K. S	Stanberry)	TITLE	Supervisor, Regul	atory	Affairs			
This space for State use only)								

RECEIVED
APR 1 9 2007

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY	9. API NUMBER: attached
3 ADDRESS OF OPERATOR: 1050 17th Street Suite 500 parc Denver STATE CO 212 80265 PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	COUNTY: Uintah
	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REP TYPE OF SUBMISSION TYPE OF ACTION	ORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE PLUG AND ABANDON CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS TRECLAMATION OF WELL SITE CONVERT WELL TYPE TECOMPLETE - DIFFERENT FORMATION DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volus of the property	mes, etc.
NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Reg	ulatory Affairs
SIGNATURE 4/17/2007 BATE 4/17/2007	
his space for State use only)	

RECEIVED
APR 1.9 2007



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Gypsum Hills (GR) Unit Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Gypsum Hills (GR) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Gypsum Hills (GR) Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Gypsum Hills (GR) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Gypsum Hills (GR) Unit (w/enclosure)

Agr. Sec. Chron Reading File Central Files

UT922:TAThompson:tt:4/23/07

REDEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

5.	Lease Serial No.
	TITTI 0250/2

SUNDRY	NOTICES AND REP	ORIS ON W	ELLS	0100	23702	
Do not use the abandoned w	6. If India	n, Allottee or Tribe Name				
SUBMIT IN TR	7. If Unit o	7. If Unit or CA/Agreement, Name and/or No.				
1. Type of Well Oil Well	1	ame and No.				
2. Name of Operator QEP Uintah	Basin Inc			9. API W	5W 17 8 21	
3a. Address 1571 E. 1700 S. VERNAL, UT	43-04	7-34336 39156 nd Pool, or Exploratory Area				
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)					
680' FSL, 919' FEL, SESE, SF	ECTION 47, T8S, R21E, SLBM	1		or Parish, State		
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATU	URE OF NOTICE,	REPORT, O	R OTHER DATA	
TYPE OF SUBMISSION		Т	YPE OF ACTION			
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Reclamatio	y Abandon	Water Shut-Off Well Integrity Other	
1. Set composite bridge p	proval to add additional Wasai lug at ±6480' and 6554'-6558' w/ 3 JSPF 90°		ne the new perfs an	d return to prod	COPY SENT TO OPERATOR Date: 2-20-0 Initials:	
14. Thereby certify that the fore	going is true and correct					
Name (Printed/Typed) Kirk Fleetwood	Kirk.Fleetwod@Ques	tar.com Title	Petroleum Engine	eer		
Signature The D	288	Date		02/09/2007		
. /~	THIS SPACE FOR I	FEDERAL OR	STATE OFFI	CE USE		
			Title		Date	
Approved by Conditions of approval, if any, are certify that the applicant holds lega which would entitle the applicant to	or equitable title to those rights in conduct operations thereon.	n the subject lease	Title Office		Date	
Title 18 U.S.C. Section 1001 and Titl States any false, fictitious or fraudu	e 43 U.S.C. Section 1212, make it a lent statements or representations	a crime for any person as to any matter within	knowingly and wills its jurisdiction.	fully to make to ar	ny department or agency of the United	
(Instructions on page 2)	Utah Division of				+ 2007	

(Instructions on page 2)

Federal Approval Of This Action Is Necessary FEB 1 5 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING	
CDW	

Change of Operator (Well Sold)	X - Operator Name Change										
The operator of the well(s) listed below has changed, effective:				6/14/2010							
FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265				TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265							
Phone: 1 (303) 308-3048				Phone: 1 (303)) 308-3048	CVDCIIM IIII	I C (CDD	¥7)			
WELL NAME	SEC	TWN	J PNC	Unit:	ENTITY	GYPSUM HII		WELL			
	BEC	, T AA T.	ı Mıd	AITNO	NO	LEASE TIPE	TYPE	STATUS			
SEE ATTACHED								SIMIOS			
OPERATOR CHANGES DOCUMENT: Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The new company was checked on the Departs 4a. Is the new operator registered in the State of U 5a. (R649-9-2) Waste Management Plan has been re 5b. Inspections of LA PA state/fee well sites compl 5c. Reports current for Production/Disposition & S 6. Federal and Indian Lease Wells: The BL or operator change for all wells listed on Federa 7. Federal and Indian Units: The BLM or BIA has approved the successor 8. Federal and Indian Communization Ag The BLM or BIA has approved the operator of 9. Underground Injection Control ("UIC"	as recoment Utah:	eived feived for Constant on: dies on: dies on: dies on: dies on: littoper ments (littiper wells ivision	re BIA he leases of rator for listed we has ap	NEW operator Provision of Companies Number Requested n/a ok has approved the re wells listed on the rithin a CA on: proved UIC F	r on: Corporation er: e merger, na BLM Corm 5 Trai	764611-0143 ume change, 8/16/2010 8/16/2010 N/A nsfer of Author	-	6/24/2010 not yet			
Inject, for the enhanced/secondary recovery un	it/pro	ject fo	r the wa	ter disposal we	ell(s) listed o	n:	6/29/2010	•			
 Changes entered in the Oil and Gas Database Changes have been entered on the Monthly Op Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on Injection Projects to new operator in RBDMS of Receipt of Acceptance of Drilling Procedures for BOND VERIFICATION: 	erate : on:			6/30/2010 read Sheet on: 6/30/2010 6/30/2010 6/30/2010	- - - - n/a	6/30/2010					
1. Federal well(s) covered by Bond Number:				ESB000024							
 Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any state/fee 	e wel	l(s) list	ted cove	965010693	- - umber	965010695					
3b. The FORMER operator has requested a release				=	n/a						
LEASE INTEREST OWNER NOTIFIC	ATI	ON:				•					
4. (R649-2-10) The NEW operator of the fee wells					y a letter fro	om the Division					
of their responsibility to notify all interest owner COMMENTS :	rs of t	his cha	inge on:		n/a						

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER See attached						
SUNDRY NOTICES AND REPORTS ON							
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottor drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for su	r-hole depth, reenter plugged wells, or to the proposals. 7. UNIT or CA AGREEMENT NAME: See attached						
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See attached						
2 NAME OF OPERATOR: Questar Exploration and Production Company N 5085	D ADIMIMPED						
3. ADDRESS OF OPERATOR:	Attached PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT:						
1050 17th Street, Suite 500 Denver STATE CO ZIP 80265	(303) 672-6900 See attached						
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached	соинту: Attached						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTA Ḥ						
11 CHECK APPROPRIATE BOXES TO INDICATE NAT	URE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION	TYPE OF ACTION						
(Submit in Duplicate) Angrovimate date work will stad:	EPEN REPERFORATE CURRENT FORMATION ACTURE TREAT SIDETRACK TO REPAIR WELL W CONSTRUCTION TEMPORARILY ABANDON						
6/14/2010 CHANGE TO PREVIOUS PLANS OI	ERATOR CHANGE TUBING REPAIR						
O SUBSEQUENT DEDOCT	UG AND ABANDON VENT OR FLARE						
(Submit Original Form Only)	UG BACK WATER DISPOSAL						
Date of work completion:	ODUCTION (START/RESUME) WATER SHUT-OFF						
	CLAMATION OF WELL SITE						
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent of							
Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) Utah State Bond Number: 965003033 Fee Land Bond Number: 965003033 Fee Land Bond Number: 799446 965003033 The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list							
NAME (PLEASE PRINT) Morgan Anderson	Regulatory Affairs Analyst						
SIGNATURE / WIGHT / THANK	DATE 6/23/2010						
his space for State use only)	****						

(5/2000)

JUN 2 8 2010 (See Instructions on Reverse Side)

RECEIVED

DIV. OF OIL, GAS & MINING

APPROVED 61301 2009
Carley Lussell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) GYPSUM HILLS (GRRV) effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
		1			Chickey	lease	type	Stat	
GH 4	19	080S	210E	4304730028	5355	Federal	OW	P	
GH 1-19	19			4304731065	5355	Federal		P	
GH 23-21	21			4304731541	5355	Federal	OW	P	
GH 4-21	21			4304731826	5355	Federal	OW	P	
GH 5-21	21	080S		4304731827	5355	Federal	OW	P	+
GH 9	20			4304732304	5355	Federal	OW	DRL	-
GH 11	20			4304732459	5355	Federal	OW	P	C
GH 13	21			4304732460	5355	Federal	OW	P	
GH 14	20			4304732647	5355	Federal	OW	P	
GH 18	20	080S		4304732650	5355	Federal	OW	P	+
GH 19	20			4304732651	5355	Federal			
GH 20	20			4304732652	5355		OW	P	
GH 16	20	080S		4304732675	5355	Federal Federal	OW	P P	
GH 10W-19-8-21	19			4304733528	12736		OW		-
GH 10G-19-8-21	19			4304733566	5355	Federal	GW	P	
WV 11W-17-8-21	17			4304733912	13228	Federal	OW	P	
WV 5W-17-8-21	17			4304733912	13332	Federal	GW	P	
WV 7W-17-8-21				4304733956		Federal	GW	P	-
GH 9W-17-8-21				4304734150	13330	Federal	GW	P	
GH 16W-17-8-21				4304734156 4304734156	13392	Federal	GW	P	
WVX 10W-17-8-21				4304734136	13354	Federal	GW	P	
GHX 15W-17-8-21				4304734562	13744	Federal	GW	P	
GHX 13HG-17-8-21				4304734362	13674	Federal	GW	P	
GH 1G-17-8-21				4304734723	5355	Federal	OW	P	ļ
WVX 2W-17-8-21				4304734927	5355 14253	Federal	OW	P	
WVX 8W-17-8-21				4304734928		Federal	GW	P	
GH 4MU-20-8-21				4304734929	13792 14213	Federal	GW	P	
GH 13MU-20-8-21				4304735008	14213	Federal		P	
GH 5W-20-8-21				4304735070	14517	Federal		P	ļ
WVX 3MU-17-8-21				4304735318		Federal		P	
GH 15ML-18-8-21				4304735318	14113			P	
GH 1ML-19-8-21				4304 <i>7</i> 35323 4304735324	15483			P	
WVX 14MU 17-8-21				1304735369	14824			P	
WVX 12MU-17-8-21	17	2080	210E /	1304735369 1304735370	14098			P	ļ
WVX 8MU-19-8-21				1304735370 1304735372	15108	Federal		P	ļ
GH 10ML-18-8-21				1304735372 1304735391	14241			P	
GH 8G-17-8-21				1304733391 1304737992	15482			P	<u> </u>
GH 16G-17-8-21				1304 <i>737992</i> 1304737993	5355			<u>P</u>	
GH 8G-18-8-21				1304737993 1304738661	5355			P	
GH 6-20-8-21					17041			APD	C
	20 (COOL	210E 4	304738662	17041	Federal	GW	P	İ

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS

UDOGM

AUG 1 6 2010

DIV. OF OIL, GAS & BARRAD G